


# TRAVEL TRAILER FLOORPLANS

## 2000



# 5TH WHEEL FLOORPLANS

# 2000






NASH Model 21-5R



NASH Model 25-5M



### SLIDE OUT MODELS







### NASH Model 24-5N



NASH Model 33-5Z



NASH Model 33-5W





# Engineered total co

### Step Inside & Enjoy Convenient Comfort

Each NASH Travel Trailer and 5th-Wheel offers a spacious work space in the galley for food preparation. All units feature extra large ranges with 22" broiler/ovens and range hoods with overhead light and exhaust fan, and are pre-wired for a microwave oven. Self-edged countertops and tables are standard, and a free-standing dinette unit is a popular option.

Store everything you'll need in ample overhead and under counter cupboards, shelves and drawers. Practicality is found in each bathroom design as well as many popular options.

A bath skylight dome, large lavy bowl, and bathroom window are all available to personalize your vacation home. All models include mini-blinds, privacy pull shades and coordinating valance/soft lambrequin treatments on windows.

Choose an inner-spring sofa, or a gaucho sofa which features an additional fullsize bed. Every NASH Travel Trailer and 5th-Wheel offers a choice of beautiful designer colors and fabrics.

Personalize your bedroom with a choice of queen, double or twin beds.

Overhead compartments feature beveled mirrors and radius finished edges. It is this kind of attention to detail that continues to set NASH apart from the pack.

To further add to your travel experience, all NASH units are pre-wired for TV antenna, cable TV with park receptacle and roof air conditioning. A 12-volt inte-



Spacious galley area features a large refrigerator and range...

rior lighting system is standard as are 12-volt patio, hitch and waste dump lights.

# Designed for Use in the Rugged Northwest

Living and vacationing in the Northwest offers a unique experience. NASH Travel Trailers and 5th-Wheels offer the answer. You'll appreciate the special emphasis on construction and outside features designed to provide strength and durability. All models use solid woods in favor of particle board, with floors constructed of 5/8" exterior tongue and groove plywood.



Rugged Northwest Nash's also available in a hardwall.

The truss roof system is topped and sealed by laminating the one-piece rubber roof to 3/8-inch plywood. A channel or I Beam



Chair pockets in freestanding dinette models secure dinette chairs for travel



Radius 30" entry doors on most models



1" insulated and locking exterior storage compartments are finished with smooth fiberglass and sealed with an allweather rubber gasket. Access is simplified with the handy finger pull and metal exterior door catch.



# for your mping pleasure



... roomy dining and living area.

steel chassis is featured as well as double primed welds coated with Rustoleum® paint to protect against rusting.

Windows are radius cornered and have interior fasteners for your security. R-7 insulation is standard in all walls and floors while R-18 insulation blankets the ceiling (a NASH exclusive). Each Travel Trailer and 5th-Wheel is equipped with extra large freeze resistant water lines and 4-1/2-inch sewer hose carrier bumper.

NASH trailers have larger tire sizes and heavier axles which make them exceptionally well suited to off road adventuring. Electric four wheel brakes, chrome lug nuts and wheel centers are standard features adding to the safety and beauty of every NASH Travel Trailer and 5th-Wheel.

You'll enjoy extra large freshwater, grey and solid waste tanks which allow you to maximize your time between dumping stations. Dual 40-lb. LPG bottles with automatic changeover can be found on select models. Retractable entry steps, a flush mount entry door lock complete with deadbolt and screen door are standard convenient security features.


### Come Home to Nash

NASH 2000 Travel Trailers and 5th-Wheels are rated the safest most durable units in



their class. Whether you're hunting, camping, working or adventuring you'll find every floor plan to be functional and convenient. Look over the specifications, and notice the care NASH has taken to assure that quality, high end components are built into every NASH Travel Trailer and 5th-Wheel. Now you can give your family a home away from home they truly deserve. Come home to NASH.

### Engineered for Your Family's Total Camping Pleasure



Three decor choices—sand, teal, or blue.



Optional - Quality AM/FM cassette or CD player with 4 speakers has auxiliary on/off switch located in the bedroom for your convenience.



Handy hardwood knife rack utilizes the space behind the range. Notice the 12" acrylic backsplash that surrounds the range to protect your walls.



Beefy chassis coated with Rustoleum® paint. Dual axle shock absorbers available as an option

# TRAVEL TRAILER & 5TH WHEEL FEATURES AND SPECIFICATIONS

### Special Emphasis on Construction and Exterior Features

- Deluxe Mesa Aluminum Sidewalls (Hardwall Optional)
- Choice of Blue or Teal Exterior Color
- \* Structural Steel Chassis
- Double Primed Welds to Reduce Rusting
- \* Rustoleum® Coated Chassis
- \* One-Piece Rubber Roof
- R-7 Insulation in Walls and Floor
- \* R-18 Insulation in Ceiling
- \*\* 2" x 3" Floor
- \* Northwood Roof Truss System
- \* Radius Cornered Windows w/Interior Fasteners
- \* Double Exterior Seals to Eliminate Water Leaks
- \*\* Slide Outs, w/Insulated Floors

### High Payload Axles, Tires and Wheels

- \* Straight Axles
- \*\* Double Steps
- \*\* Triple Steps
- \* Tandem Axles
- \* Electric Brakes on All Four Wheels
- \* Radial Tires w/Mod Wheels
- \* Chrome Lug Nuts & Hub Covers

#### Additional Exterior Benefits

- Roof, Rack & Ladder Ready
- \* 4 1/2" Sewer Hose Carrier Bumper
- Extra Large Capacity Water and Holding Tanks
- \*\* Dual 30 or 40 LB LPG Bottles w/Automatic Change Over and Cover
- \*\* Dual Battery Rack
- Freeze Resistant 1/2" Water Lines
- Skylight Roof Vents and Power Bath Vent
- \*\* 1" Radius Insulated Locking Ext. Storage Compartments
- \* Retractable Entry Steps
- \*\* Molded Front Rockguard Awning
- \*\* 30" x 72" Radius Entry Door w/Window
- \* Flush Mount Entry Door Lock w/Dead Bolt
- \* Screen Door w/Kick Panel
- \* Mud Flaps
- \*\* Slide Out Side Windows Open for Ventilation
- \* Ventilating Emergency Exit Windows

### NASH Convenience Features

- \* Prewired for Stereo w/High Quality Speakers
- \* Prewired for TV Antenna
- \* Prewired for Cable TV w/Park Receptacle

- \* Prewired for Roof Air Conditioner
- \*\* Quick-Recovery Gas/Elec. Water Heater w/Insulated Porcelain Tank
- \* 12-volt Patio, Hitch & Waste Dump Lights
- \* RV Systems Monitor Panel

### **Essential Safety Features**

- \* Smoke Detector
- \* Fire Extinguisher
- \* Entry Assist Handle
- \* GFI Circuit Protection
- \* Doorside GFI Patio Receptacle
- \* LPG Leak Detector

### ■ Spacious Work Surface in Galley

- \*\* Double Door Climate Control Refer w/Raised Panel Inserts
- \* Extra Large 22" Range w/Broiler Oven
- \* Prewired for Microwave Oven
- \* Range Hood w/Light & Exhaust Fan
- \* Double Galley Sink
- \* Sink Cover
- \* Residential Style Self-Edged Counter Tops
- \*\* Galley Pantry
- \* Drawers Slide on Roller Guides
- \* All Black Appliances
- \* 12" Acrylic Backsplash Surrounds Range

### Practical Bathroom Design

- \* Marine Toilet with Foot Pedal
- \*\* Large Lavy Bowl
- \* Hand-Crafted Medicine Cabinet w/Leaded-Style Mirror
- \*\* Shower or Tub Enclosure w/Shower Curtain
- \*\* Window in Bathroom

#### Additional Interior Benefits

- \*\* In-Floor Ducted Heat w/Residential Metal Floor Registers
- \*\* 30M BTU Auto Ignition Furnace
- \* AC/DC Power Converter w/Battery Charger
- \* 12-volt Interior Lighting System
- \* Fluorescent Lighting
- \* Mini Blinds and Privacy Pull Shades
- \* Coordinated Valance Treatment on All Windows
- \*\* Custom Residential Style Sofa
- \*\* Gaucho Sofa Makes into Comfortable Bed
- \* 20 mil Designer Vinyl Flooring
- \*\* Ample Storage Under Bed
- \*\* Strut Supports Under Bed Base

- \*\* Deluxe 7" Inner-Spring Mattress
- \*\* Designer Bedspread
- \* Raised Panel Doors Throughout
- \* Radius Finished Edges on Overhead Cabinets
- \* Beveled Mirrors in Feature Overhead
- \* Choice of Interior Decor Colors (3)

### Popular Options

- \* Air Conditioner
- \* Microwave Oven
- \* Awning
- \* Hardwall
- \* Quality Stereo Cassette or CD Player
- Stabilizing Jacks
- \* DSI Water Heater, Gas/Electric
- \*\* Queen Bed
- \*\* Twin Bed
- \*\* Bunkhouse
- \*\* Hide-A-Bed
- \* Spare Tire, Cover and Carrier
- \* Storm Windows
- \* Carpet
- \*\* Free-Standing Dinette
- \*\* Swivel Rocker
- \* TV Antenna
- \* 12-v Power Jacks
- \* Exterior Shower
- \* Fantastic Power Vent
- \* Semi-Automatic Winterization System
- Vinyl Rockguard (Bra) Travel Trailers
- \* Dual Axle Shock Absorbers
- \*\* Bath Skylight Dome
- \* Roof Rack & Ladder
- \*\* Shower Screen
- \*\* Not all features and options are available on all models.

NEW Full 2 Year Warranty

The RV Consumer Group is a non-profit RV Consumer Organization which states:

"The NASH has the highest average rating for safety, durability, and value of travel trailers in the vacation-class category."

Your NASH Dealer is ~RVLookout, February 1995

| 2000 Specifications                     | NASH Travel Trailer Models (*) Designates Slide |       |       |       |       |       |        |       |        |       |       |       |       | NASH 5th-Wheel Models (*) Designates Slide |        |        |        |       |       |        |        |        |        |        |
|-----------------------------------------|-------------------------------------------------|-------|-------|-------|-------|-------|--------|-------|--------|-------|-------|-------|-------|--------------------------------------------|--------|--------|--------|-------|-------|--------|--------|--------|--------|--------|
| Description                             | 16T                                             | 19B   | 20N   | 21C   | 22G   | 22H   | 24A    | 25S   | 26J    | 27Y   | 26X*  | 27F*  | 29V*  | 19-5P                                      | 21-5R  | 23-5A* | 24-5N* | 24-5K | 25-5M | 27-5L* | 28-5D* | 29-5E* | 33-5Z* | 33-5W* |
| Dry Axle Weight (approx. Lbs.)          | 2875                                            | 3280  | 3355  | 3480  | 3567  | 3547  | 3918   | 4028  | 4205   | 4215  | 5335  | 5523  | 5397  | 3245                                       | 3815   | 5021   | 5267   | 4155  | 4200  | 6240   | 6090   | 7178   | 7260   | 7233   |
| Dry Hitch Weight (approx. Lbs.)         | 300                                             | 320   | 320   | 480   | 480   | 540   | 480    | 540   | 580    | 560   | 860   | 620   | 1120  | 400                                        | 720    | 780    | 1020   | 840   | 960   | 1200   | 1380   | 1320   | 1650   | 1680   |
| Carrying Weight. (approx. Lbs.)         | 2875                                            | 3720  | 3645  | 3520  | 3433  | 3453  | 3082   | 2972  | 2795   | 2785  | 5065  | 4877  | 5003  | 2355                                       | 3185   | 4979   | 4733   | 2845  | 2800  | 4160   | 4310   | 3222   | 4740   | 4767   |
| Gross Dry Weight-Lbs. (w/o options)     | 3025                                            | 3600  | 3675  | 3960  | 4047  | 4087  | 4398   | 4568  | 4785   | 4775  | 6195  | 6143  | 6517  | 3645                                       | 4535   | 5801   | 6287   | 4995  | 5160  | 7440   | 7470   | 8498   | 8910   | 8913   |
| Gross Vehicle Weight Rating (GVWR)-Lbs. | 5600                                            | 7000  | 7000  | 7000  | 7000  | 7000  | 7000   | 7000  | 7000   | 7000  | 10400 | 10400 | 10400 | 5600                                       | 7000   | 10000  | 10000  | 7000  | 7000  | 10400  | 10400  | 10400  | 12000  | 12000  |
| Exterior Length (approx. w/hitch)       | 17'6"                                           | 20'9" | 20'9" | 22'8" | 23'6" | 23'6" | 25'11" | 26'6" | 27°10° | 28'6" | 28'   | 28'4" | 30'1" | 19'11"                                     | 22'10" | 23'10" | 25'    | 24'4" | 26'9° | 27'4"  | 29'7"  | 30'4"  | 34'8"  | 34'8"  |
| Exterior Height (approx. w/o A/C)       | 9'2"                                            | 9'5"  | 9'5"  | 9'5"  | 9'5"  | 9'5"  | 9'5"   | 9'5"  | 9'6"   | 9'6"  | 9'10" | 9'10" | 9'10" | 9'5"                                       | 9'10"  | 10'6"  | 10'6"  | 10'   | 10'   | 10'11" | 11'1"  | 11'1"  | 11'2"  | 11'2"  |
| Exterior Width (approx. w/o awning)     | 7'6"                                            | 8'    | 8'    | 8'    | 8'    | . 8,  | 8'     | 8'    | 8'     | 8'    | 8'    | 8'    | 8'    | 7'6"                                       | 8'     | 8'     | 8'     | 8'    | 8'    | 8'     | 8'     | 8'     | 8'     | 8'     |
| Tire Size                               | ST205                                           | ST205 | ST205 | ST205 | ST205 | ST205 | ST205  | ST205 | ST205  | ST205 | ST225 | ST225 | ST225 | ST205                                      | ST205  | ST225  | ST225  | ST205 | ST205 | ST225  | ST235  | ST235  | ST235  | ST235  |
|                                         | 75R14                                           | 75R15 | 75R15 | 75R15 | 75R15 | 75R15 | 75R15  | 75R15 | 75R15  | 75R15 | 75R15 | 75R15 | 75R15 | 75R14                                      | 75R15  | 75R15  | 75R15  | 75R15 | 75R15 | 75R15  | 85R16  | 85R16  | 85R16  | 85R16  |
| Load Range                              | В                                               | С     | C     | C     | С     | С     | С      | С     | С      | C     | D     | D     | D     | В                                          | C      | D      | D      | С     | С     | D      | E      | E      | Ε      | E      |
| Fresh Water Tank (approx. gallons)      | 32                                              | 40    | 32    | 50    | 40    | 40    | 38     | 52    | 40     | 40    | 50    | 45    | 45    | 32                                         | 38     | 42     | 46     | 40    | 40    | 50     | 50     | 50     | 50     | 50     |
| Gray Water Tank (approx. gallons)       | 25                                              | 42    | 34    | 44    | 42    | 42    | 42     | 42    | 30     | 44    | 30/25 | 40    | 35/25 | 40                                         | 30     | 30     | 35/35  | 30    | 44    | 35/35  | 40     | 35/35  | 35/40  | 35/35  |
| Black Water Tank (approx. gallons)      | 27                                              | 40    | 44    | 40    | 40    | 40    | 35     | 40    | 38     | 40    | 45    | 40    | 44    | 40                                         | 40     | 40     | 35     | 40    | 40    | 35     | 40     | 35     | 44     | 44     |
| LPG Capacity (approx. gallons)          | 14                                              | 14    | 14    | 14    | 14    | 14    | 14     | 14    | 14     | 14    | 14    | 14    | 14    | 10                                         | 10     | 10     | 14     | 14    | 14    | 20     | 20     | 20     | 20     | 20     |
| Certified in Canada                     | yes                                             | yes   | yes   | yes   | yes   | yes   | yes    | yes   | yes    | yes   | yes   | yes   | yes   | yes                                        | yes    | yes    | yes    | yes   | yes   | yes    | yes    | yes    | yes    | yes    |

NASH travel trailers and 5th-wheels have been designed for your comfort, safety and camping pleasure.

Photos and drawings are representative of NASH travel trailers and 5th-wheels and may differ slightly from actual production models. We at Northwood continually upgrade and improve our NASH products and reserve the right to change specifications without notice. Check with your authorized dealer for updated information. Northwood, 59948 Downs Road, P.O. Box 3359, La Grande, OR 97850 (541) 962-NASH.

Printing by Color Press. 10/99