

# Arctic Fox



northwoodmfg.com



*Functional, Stylish and Comfortable...*

Arctic Fox Fifth Wheels and Travel Trailers capture all of these important considerations in every coach. All of our designs from floor plan to finish, are engineered and detailed with your traveling pleasure and convenience in mind. We know you are going to love the 2005 Arctic Fox!.. We invite you to take a look.



*Attractive and Off-Road Tough...*


*Northwood coaches are built to withstand off-road travel and provide you with all the comforts of home. This year's Arctic Foxes are no exception. We are constantly improving our construction methods and upgrading our interior amenities. We've added some exceptional new features to the 2005 Arctic Fox. We understand the importance of building coaches that are insulated for all weather conditions and durable enough for extended cross-country travel. That's why all Foxes have R-18 blanket insulation in the ceiling and R-7 insulation in the walls and floor. You will be protected from extreme temperatures in all seasons, that's why Arctic Fox has earned a **Four Season Rating**. If you're looking for year 'round comfort, choose Arctic Fox! From frame to finish, you will see the pride of workmanship reflected in our coaches.*

# To Build The Best Trailer...

# start with a Strong Frame...

# add Exceptional Components...

Our structural steel chassis is designed for load capacity well beyond the weight of the coach and your belongings. Structural steel chassis frames, (C-channel smaller units and I-beam in super slide models), are engineered for superior strength and structural integrity specific to each model. Our trailers won't sag with age like many other competitors models. Exterior grade plywood floors, (not strand board), and plenty of steel cross members in the frame, provide our coaches with superior resilience and strength.



Structural Steel Chassis



Additional Welds Create Camber in the Chassis for Greater Load Carrying Capacity



Welded & Bolted Retractable Stairway



Welded LP / Battery Rack or Sliding Battery Tray on 5th Wheels



Rustoleum Brand Finish



Roto-Molded Wheel Skirts



Dual #30 or #40 LP Tanks (Most Models)

Shocks on All Wheels



Mud Flaps



Chrome Wheels

2,000 LB Tongue Jack



Built-In Black Water Flush System

**Extra Large Holding Tanks**

Up to:  
77 gal. Fresh  
46 gal. Black  
56 gal. Gray

(many competitors tanks are less than 1/2 the size!)



Interior Holding Tank



Diamond Plate Protection (5th Wheel Model Shown)



Fully Insulated Tank Compartments

The straight axles provide extra ground clearance for off-road use, offer the perfect balance for your tow vehicle and we include shock absorbers, performance tires with appropriate load ranges for maximum carrying capacity, non-skid double steps or triple steps and folding, padded safety handrails.

## Comfortable Bedroom Suites with Queen Size Beds (most models)


(Certain Floor Plans)  
Full Wardrobe Slide Out

All Northwood coaches have one of the highest highway safety ratings in the industry. Our durable one piece laminated hardwall surfaces are easy to maintain and are resistant to flying road debris, chips and dents. The tough diamond plate rockguard on small travel trailers and diamond plate bumper wrap, are tough, attractive and built to last. Fiberglass front and rear caps come standard on larger Fox models.



**include Smart Convenience Features and Options...**

**and You've Built The Arctic Fox!** 




Monitor Panel

All of our holding tanks are suspended above the insulated tank compartment. This creates an air space for the forced air duct system... another reason why the Arctic Fox is considered a true **Four Seasons Coach**.

Large Capacity - Exterior Access Storage Compartments...

...All Metal Latches, Catches and Pulls...

...and Top Quality Automotive Weather Seals Around Doors.



...with One Inch Thick Insulated/Locking Doors...



Slide-Out Pantry



Convenient LPG Connection for BBQ & Exterior Appliances (All Models)

Auto Scanning Satellite Dish (Option Available)



Cable, Phone & Satellite Ready (All Models)

12 Volt Exterior Lighting at Hitch, Waste Dump & Patio Areas



Marine Style Exterior Shower



Control Center with  
\* Tank Monitor  
\* Kenwood Stereo  
\* Generator Panel (optional)  
\* Solar (Optional - Not Pictured)

Solar Panels (Option Available)



Hardwood Chair Leg Pockets For Secure Travel



Flat Screen TV (Option Available)




Kitchen Skylight w/ Shade


You can walk our roofs from end to end. They are designed to withstand heavy snow loads and are crowned to shed water quickly. The Northwood 4 1/2" and 5 1/2" crowned roof truss system is glue bonded to 3/8" plywood, (not strand board), and sealed with a continuous one-piece heavy gauge, laminated rubber membrane. You will appreciate our oversized rain gutters and down spouts that divert water away from the side of the coach. You can also include a generator in Foxes starting with the 22H.

and axle placement is engineered to absorbers at every wheel. We use high capacity and safety. Retractable rails, provide safe and easy access.

Spacious Kitchen / Galley Work Area with Raise Panel Cabinet Doors



Inside the coach, every Fox is equipped with residential style ducted floor heating with metal registers and ducted roof-top air conditioning. We also include an awning, microwave, TV antenna, enclosed & heated holding tanks, black holding tank flush system, DSI gas & electric water heater, tinted windows, spare tire group and much more. Check out the complete list of features and compare the value and we are confident that you will choose Arctic Fox.



Leaded Style Mirrored Bathroom Cabinets

Residential Style Bathroom Fixtures


**SLIDE OUT MODELS**

**Arctic Fox Travel Trailer Floor Plans**

**SLIDE OUT MODELS**




**MODEL 22 M**




**MODEL 32RLS**



**MODEL 25 R**




**SOFA BED OPTION**




**MODEL 32D**

**OPT. TWIN BED**



**MODEL 26X**




**MODEL 29V**



**MODEL 33A**



**MODEL 26 Z**



**MODEL 30U**




**MODEL 38L**











**MODEL 27 F**

**REAR BATH OPTION**





**MODEL 31 W**







**Floor Plan Options**




FREE-STANDING DINETTE



Optional Twin Beds Available in Most Models



OPT. REAR SOFA



# Features and Options

## Spacious Work Surface In Galley

- \* Double Climate Control Refer w/ Adjustable Humidity Control, Light and Raised Oak Panel Inserts
- \* Extra Large Range w/ 22" Oven
- \* Range Cover
- \* High Rise Galley Faucet
- \* Kitchen Skylight w/ Shade
- \* Range Hood w/ Light & Exhaust Fan
- \*\*Extra Large-Deep 60/40 Galley Sink
- \* Deluxe Cutting Board / Sink Cover
- \* Residential Style Self-Edged Counter Tops
- \*\*Galley Pantry (Most Models)
- \* Drawers Slide On Roller Guides
- \* Designer Appliances
- \* 12" Acrylic Range Back Splash

## Practical Bathroom Design

- \* Marine Style Foot Pedal Toilet
- \*\*Large Lavy Bowl
- \* Hand-Crafted Medicine Cabinet w/ Leaded Style Mirror
- \* Shower or Tub Enclosure
- \* Retractable Hide Away Shower Sreen
- \* Bath Skylight
- \*\*Window In Bathroom (Most Models)

## Additional Exterior Features

- \* Awning
- \* Exterior Shower
- \* Stabilizer Jacks
- \* Diamond Plate Rockguard Bra
- \*\*Molded Fiberglass Front and Rear Caps (Most Models)
- \* Roof Rack & Ladder
- \* Semi-automatic Winterization System
- \* Extra Large Capacity Water & Holding Tanks
- \* Heated Holding Tanks
- \*\*Dual 30 or 40 Lb LPG Bottles (Most Models)
- \* Auto-Change Over LPG Regulator
- \* Freeze Resistant 1/2" Water Lines
- \* Skylight Roof Vents & Power Bath Vent
- \* 1" Insulated Locking Exterior Storage Compartments
- \* Retractable Entry Steps
- \* Molded Front Rockguard Awning - Travel Trailers Only
- \*\*Radius 30" x 72" Entry Door w/ Window
- \* Flush Mount Entry Door, Lock w/ Dead Bolt
- \* Screen Door w/ Kick Panel
- \* Mud Flaps
- \* Ventilating Emergency Exit Window
- \* Barbeque (optional)

## Slide Out Units

- \* Side Windows Open For Added Ventilation
- \* Flush Floor Jumbo Slide
- \*\*Overhead Cabinets In Most Slides

## Additional Interior Benefits

- \* In-Floor Ducted Heat (Except 19B) w/ Residential Metal Floor Registers
- \*\*Auto Ignition Furnace (Most Models)
- \* AC/DC Power Converter w/ Battery Charger
- \* 12-volt Interior Lighting System
- \* Fluorescent Lighting
- \* Overhead Cabinets w/ Beveled Mirrors
- \* Night Shades
- \* Coordinated Valance & Lambrequins
- \*\*Residential Style Convertible Sofa / Bed
- \* Commercial Grade Linoleum Flooring
- \* Ample Storage Under The Bed
- \*\*Strut Supports For Storage Access (Under Bed Base)
- \* Upgrade Deluxe 7" Inner-Spring Mattress
- \* Coordinated Bedspread
- \* Raised Panel Oak Doors Throughout
- \* Radius Finished Edges On Overhead Cabinets
- \* Beveled Mirrors In Feature Overhead
- \* Choice Of Interior Decor Colors
- \* Full Two-year Warranty

## Construction and Exterior Features

- \* Gel Coat Filon
- \* Structural Steel Chassis
- \* Double Primed Welds
- \* Rustoleum Coated Chassis to Reduce Rusting
- \* One Piece Rubber Roof
- \* Insulation (R-18 In Ceiling)
- \* 2" x 3" Floor Framing (Most Models)
- \* NORTHWOOD Roof Truss System 41/2"-51/2"
- \* Tinted Radius Cornered Windows 80/20 UV w/ Interior Clamp Ring System

## High Payload Axles, Tires And Wheels

- \* Straight Axles
- \* Triple Steps (Most Models)
- \* Tandem Axles
- \* Electric Brakes On All Four Wheels
- \* Shocks On All Wheels
- \* Radial Tires w/ Chrome Wheels
- \* Chrome Lug Nuts & Hub Cover
- \* Automotive Recessed Tail Lights w/ Backup Light

## Essential Safety Features

- \* Smoke Detector
- \* LPG Leak Detector
- \* Fire Extinguisher
- \* Large Exterior Entry Door
- \* Large Retractable Exterior Entry Assist Handle
- \* Interior Entry Door Assist Handle
- \* CO Detector (with Generator Option)

## Arctic Fox Convenience Features

- \* Kenwood AM/FM CD Player w/ 100 Watt Quality Speaker System
- \* Air Conditioner w/ Ducting
- \* Microwave Oven
- \* TV Antenna
- \* Wired For Cable TV w/ Park Receptacle
- \* DSI Gas/Electric Water Heater
- \* w/ Insulated Porcelain Tank
- \* 12 Volt Lights at Patio, Hitch & Waste Dump
- \* RV System Monitor Panel
- \* Phone Jack & Satellite Ready
- \*\*Optional Generator Or Generator Ready (Most Models)

Your Arctic Fox Dealer

\* Standard on Every Model  
\*\*Not Available on All Models



Description	Arctic Fox Travel Trailers (*) Designates Slide											Arctic Fox 5th Wheel Models (*) Designates Slide													
	19B	22G	22H	22M*	25S	25R*	26Z*	26X*	27F*	29V*	30U*	31W*	32D*	33A*	38L*	21-5R	23-5A*	24-5N*	26-5C*	27-5L*	28-5D*	29-5E*	29-5T*	33-5V*	34-5B*
Model Number	19B	22G	22H	22M*	25S	25R*	26Z*	26X*	27F*	29V*	30U*	31W*	32D*	33A*	38L*	21-5R	23-5A*	24-5N*	26-5C*	27-5L*	28-5D*	29-5E*	29-5T*	33-5V*	34-5B*
Dry Axle Weight (approx. Lbs.)	3985	4450	4340	5440	4780	5720	6460	6490	6675	7209	7080	7260	7340	7740	8280	4390	5520	5940	7100	7300	7190	7890	7700	8250	8955
Dry Hitch Weight (approx. Lbs.)	395	580	540	580	600	640	880	940	840	1000	1140	980	1020	1140	1200	950	1100	1180	1320	1560	1600	1600	1620	1800	2360
Net Carrying Capacity	2620	2470	2620	3980	2495	3640	2660	3370	3285	3491	3480	3460	3340	2820	2220	2920	3380	4880	4760	4140	4210	3540	3680	4950	3685
Gross Dry Weight-lbs	4380	5030	4880	6020	5380	6360	7340	7430	7515	8209	8220	8240	8360	8880	9480	5340	6620	7120	8240	8860	8790	9460	9320	10050	11315
Gross Vehicle Weight Rating (GVWR)-Lbs.	7000	7500	7500	10000	7875	10000	10000	10800	10800	11700	11700	11700	11700	11700	11700	8250	10000	12000	13000	13000	13000	13000	13000	15000	15000
Exterior Length (approx. w/hitch)	20'9"	23'6"	23'6"	23'10"	26'6"	27'1"	29'5"	27'8"	28'	29'9"	31'11"	32'7"	34'8"	33'11"	39'1"	22'10"	23'10"	25'	28'6"	27'	29'3"	30'	30'	34'1"	35'1"
Exterior Height (approx. w/o A/C)	9'5"	9'5"	9'5"	9'6"	9'5"	9'6"	9'6"	9'6"	9'10"	9'10"	9'10"	9'10"	9'10"	9'10"	9'10"	9'10"	10'6"	10'6"	10'11"	10'11"	11'1"	11'1"	11'1"	11'2"	11'2"
Exterior Width (approx. w/o awning)	8'	8'	8'	8'6"	8'	8'	8'	8'	8'	8'	8'	8'	8'	8'	8'	8'	8'	8'	8'	8'	8'	8'	8'	8'	8'
Tire Size	ST205 75R15	ST205 75R15	ST205 75R15	ST225 75R15	ST205 75R15	ST225 75R15	ST225 75R15	ST225 75R15	ST225 75R15	ST205 75R15	ST225 75R15	ST225 75R15	ST225 75R15	ST225 75R15	ST235 85R16	ST235 85R16	ST235 85R16	ST235 85R16	ST235 85R16						
Load Range	C	C	C	D	C	D	D	D	D	D	D	D	D	D	D	C	D	D	D	D	E	E	E	E	E
Fresh Water Capacity (approx gal)	46	44	46	53	58	58	58	67	67	67	67	67	66	76	66	44	45	56	66	76	58	58	58	77	67
Gray Water Tank (approx. gallons)	44	41	41	41	41	41	40	30/25	40	35/25	54	40	40	36/24	24/42	30	30	35/35	50	35/35	40	35/35	50	56	54
Black Water Tank (approx. gallons)	35	35	35	35	35	35	35	44	34	44	42	34	42	46	46	40	40	35	42	35	40	35	35	42	42
LPG Capacity (approx. gallons)	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	10	10	14	20	20	20	20	20	20	20
Certified in Canada	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes

Weights include Slide-out, A/C, Awning, Microwave, TV Antenna, Stabilizer Jacks, & Spare Tire Group.

Northwood Manufacturing, 59948 Downs Rd., PO Box 3359, La Grande, OR 97850 (541) 962-6274. Northwood, 380 Bataille Dr., PO Box 2630, Winchester VA 22604 (540) 542-6140 - www.northwoodmfg.com - 2005 Arctic Fox - Printed Fall 2004  
Photos and drawings are representative of Arctic Fox Travel Trailers and 5th Wheels and may differ slightly from actual production models. We continually upgrade & improve our Fox products and reserve the right to change specifications without notice. Check with your authorized dealer for updated information.