

Arctic Fox



northwoodmfg.com



Functional, Stylish and Comfortable...

Arctic Fox Fifth Wheels and Travel Trailers capture all of these important considerations in every coach. All of our designs from floor plan to finish, are engineered and detailed with your traveling pleasure and convenience in mind. We know you are going to love the 2005 Arctic Fox!.. We invite you to take a look.



Attractive and Off-Road Tough...


*Northwood coaches are built to withstand off-road travel and provide you with all the comforts of home. This year's Arctic Foxes are no exception. We are constantly improving our construction methods and upgrading our interior amenities. We've added some exceptional new features to the 2005 Arctic Fox. We understand the importance of building coaches that are insulated for all weather conditions and durable enough for extended cross-country travel. All Foxes have R-18 blanket insulation in the ceiling and R-7 insulation in the walls and floor so you will be protected from extreme temperatures in all seasons. That's why Arctic Fox has earned a **Four Season Rating**. If you're looking for year 'round comfort, choose Arctic Fox! From frame to finish, you will see the pride of workmanship reflected in our coaches.*

To Build The Best Trailer...


start with a Strong Frame...

add Exceptional Components...

Our structural steel chassis is designed for load capacity well beyond the weight of the coach and your belongings. Structural steel chassis frames (C-channel smaller units – “I” beam for super slide models) are engineered for superior strength and structural integrity specific for each model. Our trailers won't sag with age like many other competitors models. Exterior grade plywood floors (not strand board) with plenty of steel cross members in the frame, provide superior strength and resilience to the coach.




Structural Steel Chassis



Welded LP /Battery Rack Sliding Battery Tray on 5th Wheels



Dual #30 or #40 LP Tanks



Rustoleum Brand Finish

Shocks-All Wheels

Roto-Molded Wheel Skirts



Mud Flaps



Chrome Wheels



2,000 LB Tongue Jack



Built-In Black Water Flush System (available)



Diamond Plate Protection (5th Wheel Model Shown)

Extra Large Holding Tanks

Up to:

- 77gal Fresh
- 46gal Black
- 56gal Gray

many competitors tanks are less than 1/2 the size!



Interior Holding Tank Monitor

Fully Insulated Tank Compartments

The straight axles provide extra ground clearance for off-road use and axle placement is engineered to offer the perfect balance for your tow vehicle and we include shock absorbers at every wheel. We use high performance tires with appropriate load ranges for maximum carrying capacity and safety. Retractable non-skid double steps or triple steps and folding, padded safety hand rails, provide safe and easy access.

Comfortable Bedroom Suites with Queen Size Beds (most models)

(Certain Floor Plans)
Full Wardrobe Slide Out

All Northwood coaches have one of the highest highway safety ratings in the industry. Our durable one piece laminated hardwall surfaces are easy to maintain and are resistant to flying road debris, chips and dents. The tough diamond plate rockguard on small travel trailers and diamond plate bumper wrap, are tough, attractive and built to last. Fiberglass front and rear caps come standard on larger Fox models.



include Smart Convenience Features and Options...

and You've Built The Arctic Fox!



All of our holding tanks are suspended above the insulated tank compartment. This creates an air space for proper flow of warm air from the forced air duct system. That's why the Arctic Fox is considered a true **Four Seasons Coach.**

One Inch Thick Insulated/Locking Exterior Storage Compartment Doors

All Metal Latches, Catches and Pulls
Top Quality Automotive Weather Seals Around Doors



Large Capacity Exterior Access Storage Compartments

Auto Scanning Satellite Dish (Option Available)



* Kenwood Stereo
* GenSet Generator Panel (optional)
* Solar Monitor (optional)



Hardwood Chair Leg Pockets For Secure Travel



Cable, Phone & Satellite Ready (All Models)

Solar Panels (Option Available)



Flat Screen TV (Option Available)

12 Volt Exterior Lighting at Hitch, Waste Dump & Patio Areas



Marine Style Exterior Shower



Slide-Out Pantry (Most Models)



Convenient LPG Quick Connection for BBQ & Exterior Appliances (All Models)




Kitchen Skylight w/ Shade

You can walk our roofs from end to end. They are designed to withstand heavy snow loads and are crowned to shed water quickly. The Northwood 4 1/2" and 5 1/2" crowned roof truss system is glue bonded to 3/8" plywood, not strand board, and sealed with a continuous one-piece heavy gauge laminated rubber membrane. You will appreciate our oversized rain gutters and down spouts that divert water away from the side of the coach. You can also include a generator in Foxes starting with the 22H.

Spacious Kitchen / Galley Work Area with Raise Panel Cabinet Doors

Leaded Style Mirrored Bathroom Cabinets



Residential Style Bathroom Fixtures



Inside the coach, every Fox is equipped with residential style ducted floor heating with metal registers and ducted roof-top air conditioning. We also include an awning, microwave, TV antenna, enclosed & heated holding tanks, black holding tank flush system, DSI gas & electric water heater, tinted windows, spare tire group and much more. Check out the complete list of features and compare the value and we are confident that you will choose Arctic Fox.

SLIDE OUT MODELS



Arctic Fox Travel Trailer Floor Plans









SLIDE OUT MODELS










NON-SLIDE TRAVEL TRAILERS




Arctic Fox 5th Wheel Floor Plans



Floor Plan Options



Interiors are Available in These Color Palettes



Features and Options

With numerous floor plans and options available, please note that some options are not available in certain floor plans.

Construction

Hardwall-Filon	19B	22GQ	22H	22M*	25S	25R*	26X*	26Z	27F	29V	30U	31W	32D	33A	38L	21-5R	23-5A	24-5N	26-5C	27-5L	28-5D	29-5E	29-5T	32-5S	33-5K	
One-piece Rubber Roof	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
R-7 Insulation Walls & Floor	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
R-18 Insulation in Ceiling	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Northwood Roof Truss System	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Storm Windows	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Thermal Pane Windows	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$

Chassis, Frame & Suspension

High Payload Axles, Tires & Wheels	19B	22GQ	22H	22M*	25S	25R*	26X*	26Z	27F	29V	30U	31W	32D	33A	38L	21-5R	23-5A	24-5N	26-5C	27-5L	28-5D	29-5E	29-5T	32-5S	33-5K	
Shock Absorbers-all Wheels	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Electric Brakes On All Wheels	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Chrome Wheels, Lug Nuts, Hub Covers	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Rear Mount Spare w/cover	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Stabilizer Jacks	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
12V Power Jack	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
16" Tire/Wheel/Spare Upgrade	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Chassis Mount Spare	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$

Plumbing

Heated Holding Tanks	19B	22GQ	22H	22M*	25S	25R*	26X*	26Z	27F	29V	30U	31W	32D	33A	38L	21-5R	23-5A	24-5N	26-5C	27-5L	28-5D	29-5E	29-5T	32-5S	33-5K	
Semi-automatic Winterization	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
6 Gal DSI Gas/Electric Water Heater	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
10 Gal DSI Gas/Electric Water Heater	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Built-In Black Water Tank Flush	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$

Electrical

Dual Battery Rack	19B	22GQ	22H	22M*	25S	25R*	26X*	26Z	27F	29V	30U	31W	32D	33A	38L	21-5R	23-5A	24-5N	26-5C	27-5L	28-5D	29-5E	29-5T	32-5S	33-5K	
RV Systems Monitor Panel	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Fluorescent Lighting In Galley	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
AC/DC Power Converter w/Battery Charger	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Generator Ready	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2.5 Onan Generator LP	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
3.6 Onan Generator LP	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
TV Antenna	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$

LP Gas

Dual 30# LPG Bottles	19B	22GQ	22H	22M*	25S	25R*	26X*	26Z	27F	29V	30U	31W	32D	33A	38L	21-5R	23-5A	24-5N	26-5C	27-5L	28-5D	29-5E	29-5T	32-5S	33-5K	
LPG Regulator w/Auto Change Over	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
LPG Quick Connect	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Single 40# LPG Bottle	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Dual 40# LPG Bottles	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$

Exterior

Exterior Shower	19B	22GQ	22H	22M*	25S	25R*	26X*	26Z	27F	29V	30U	31W	32D	33A	38L	21-5R	23-5A	24-5N	26-5C	27-5L	28-5D	29-5E	29-5T	32-5S	33-5K	
Awning	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Roof Rack and Ladder	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
BBO Grill	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$

Full 2 Year Warranty (All Models)

Air Conditioning

13.5K BTU A/C w/ Ducting	19B	22GQ	22H	22M*	25S	25R*	26X*	26Z	27F	29V	30U	31W	32D	33A	38L	21-5R	23-5A	24-5N	26-5C	27-5L	28-5D	29-5E	29-5T	32-5S	33-5K	
15.0K BTU A/C w/Ducting	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$

Bathroom/Lavy

Shower Pan	19B	22GQ	22H	22M*	25S	25R*	26X*	26Z	27F	29V	30U	31W	32D	33A	38L	21-5R	23-5A	24-5N	26-5C	27-5L	28-5D	29-5E	29-5T	32-5S	33-5K	
Tub/Shower	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Shower Screen	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Marine Toilet w/Foot Pedal	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Large Lavy Bowl	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Neo Angular Shower	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$

Kitchen Galley

Extra Large 22" Range w/Broiler	19B	22GQ	22H	22M*	25S	25R*	26X*	26Z	27F	29V	30U	31W	32D	33A	38L	21-5R	23-5A	24-5N	26-5C	27-5L	28-5D	29-5E	29-5T	32-5S	33-5K	
Deep-Dbl Sink w/Hi Rise Faucet	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Microwave	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Range Cover	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Double Door 6cu Ft Refer	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Extra Large 8' Refer	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Glass Stovetop w-1/2 Time Oven	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$

Interior

Booth Dinette	19B	22GQ	22H	22M*	25S	25R*	26X*	26Z	27F	29V	30U	31W	32D	33A	38L	21-5R	23-5A	24-5N	26-5C	27-5L	28-5D	29-5E	29-5T	32-5S	33-5K	
Free-standing Dinette	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Hide-a-Bed	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Jackknife Sofa	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Swivel Rocker	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2 Swivel Rockers w/Flip Table	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
AM/FM CD Player	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Kitchen Skylight	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$

Safety Features

Smoke Detector	19B	22GQ	22H	22M*	25S	25R*	26X*	26Z	27F	29V	30U	31W	32D	33A	38L	21-5R	23-5A	24-5N	26-5C	27-5L	28-5D	29-5E	29-5T	32-5S	33-5K	
LPG Leak Detector	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
CO Detector	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Fire Extinguisher	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
GFI Circuit Protection	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Large Folding Assist Handle	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Vented/Emergency Exit	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$

KEY: Standard on All Models ~ Included as Standard Build or Required Option ~ Other Option Available ~ Not Applicable

Your Arctic Fox Dealer

Description
