



Arctic Fox



Arctic Fox

Quality By Design

www.northwoodmfg.com

QUALITY BY DESIGN

Welcome To Arctic Fox!


Interior Colors...





22G Solitaire Azul



35-57 Early Autumn



A 22GF



A 25RF

A 25WF



Arctic Fox Silver Classic Travel Trailers



Arctic Fox Silver Classic Travel Trailers



A 25Y F



A 31D F



Early Autumn



Solitaire Azul



What is ABSOLUTE NORTHWOOD?



Our Commitment to
**Quality
 Strength
 Durability**

When you purchase an Arctic Fox, you are investing in the best quality materials, construction and craftsmanship. That is why the resale value in an Arctic Fox remains higher, and your investment retains its value longer. If you ever decide to trade in your Fox, you will get top dollar. That is why you don't see many used Arctic Foxes on the market, folks buy them up as quickly as they become available because Arctic Fox has a reputation for durability and longevity.

ABSOLUTE CHASSIS 


✓ Custom Built, Tested, Certified

ABSOLUTE FRAME 


✓ Thick Wall Aluminum w/Solid Anchor Blocking

ABSOLUTE ROOF 

✓ Full Walk On, Bonded Roof Truss System


ABSOLUTE CABINETS 

✓ Wall & Ceiling Mounted, Face Frame Construction

ABSOLUTE INSULATION 

✓ A True 4 Season Coach

NORTHWOOD BUILT CERTIFIED CHASSIS



WE BUILD OUR OWN HEAVY DUTY STRUCTURAL STEEL OFF-ROAD CHASSIS

We are one of the few manufacturers that build their own chassis. The name NORTHWOOD is known throughout the industry for quality chassis and we certify ours through an independent testing laboratory for quality assurance.




THICK WALL TUBULAR ALUMINUM SUPERSTRUCTURE

.060"-.125"
 (Up to 1/8" Thick)
 heavy gauge thick wall aluminum tubing in our travel trailers & fifth wheels.



SOLID CORE ANCHOR BLOCKING AND CONTINUOUS WELDS



ALL THREADS ARE SECURING THE FASTENER

ONLY ONE OR TWO THREADS ARE SECURING THE FASTENER

WEAKER ANCHOR SCREWS

Now that's an **ABSOLUTE** Quality Superstructure!

OUR BONDED ROOF TRUSS SYSTEM ENSURES A FULL WALK-ON ROOF



UP TO 4" OF EXTRA HEADROOM

The Northwood Bonded Roof Truss System bonds all the components of the roof structure together as a unit. The ceiling, trusses and roof plywood are unified in a bonded system that gives superior load distribution and maximum load bearing capacity.

Top quality exterior grade plywood panels are bonded to the trusses and a thick one piece roofing membrane is then applied for a durable, long lasting seal to protect you and your coach from the elements.



CUSTOM BUILT FACE FRAME CABINETS

CABINETRY w/SOLID WOOD DOORS, BUILT USING RESIDENTIAL FACE FRAME CONSTRUCTION METHODS & INTEGRATED WITH THE WALL & CEILING.

BEAUTIFUL & STRONG



Solid Wood cabinet doors ensure lasting beauty and rugged strength.



Face Frame construction gives our cabinets 'high end' residential quality.



Structurally Integrated cabinetry is anchored to the walls and ceiling structure of our coaches making both the RV and the cabinets stronger.




A TRUE FOUR SEASON ALL CONDITIONS UNIT



HEATED ENCLOSED HOLDING TANKS & DUMP VALVES DESIGNED FOR COLD NORTHERN/HOT SOUTHERN CLIMATES

Northwood builds true 4-Season Coaches. Our fully insulated holding tank area circulates warm air around the suspended tanks providing the best protection from freezing. Our knife valves are also enclosed to keep them from freezing. Our 4-Season coaches are insulated with various types of residential quality Rigid Foam, Batten & Reflective Foil insulation to protect you from the winter cold & summer heat.





A 28F F




Interference

Arctic Fox Silver Travel Trailers



A 29L F



A 32A F





Solitaire Azul



Elegant Truffle

Arctic Fox Silver Fifth Wheels




27-5L F

28-5C F



Arctic Fox Silver Fifth Wheels




A **29-5K** *F*



A **29-5T** *F*



Arctic Fox Silver Fifth Wheels



A **32-5M F**

A **35-5Z F**



ABSOLUTE NORTHWOOD

✓ Our Commitment to
Quality
Strength
Durability



ROOF

- ✓ Full Walk On Roof with Bonded Roof Truss System

FRAME

- ✓ Thick Wall Aluminum w/Solid Anchor Blocking

SLIDE OUTS

- ✓ 4 Seals, Dual Rack & Pinion Rams (main slides)
- Insulated, Cross Ventilating Windows

FLOORS

- ✓ Commercial Grade Linoleum, Fully Insulated
- Tongue and Groove Plywood (not chipboard)

CHASSIS


- ✓ Custom Built, Independently Tested & Certified

CABINETS

- ✓ Wall & Ceiling Mounted, Face Frame Construction

INSULATION

- ✓ A True 4 Season Coach



D DUAL RACK & PINION RAM MAIN SLIDE ROOM

- 22 Gray Accent Fiberglass Finish on Slide Out Side Wall
- 23 4 Seal System w/Inner & Outer Bulb Seal
- 24 ...including Wiper Seal for Continual Seal (Any Position)
- 25 ...and Outer Bulb Seals



A NORTHWOOD ROOF TRUSS SYSTEM

- 1 Heavy Gauge One Piece Roof Membrane
- 2 3/8" Plywood Sheathing (Bonded to Trusses)
- 3 R-15 Reflective 'Arctic' Foil Insulation
- 4 R-18 Dual Layer Fiberglass Insulation
- 5 Bow Style Roof Trusses (Bonded to Ceiling)
- 6 Interior Lamination Grade Luan Plywood
- 7 Ozite Ceiling Carpet Finish (Silver Fox only)

B HIGH DENSITY ONE PIECE LAMINATED WALLS

- 9 Designer Interior Decor Finish Paneling
- 10 Heavy Gauge Fully Welded Aluminum Superstructure
- 11 Solid Wood Fill - Full Thread Depth Anchor Blocking
- 12 Virgin 2 lb Rigid Dense Block Foam Insulation
- 13 Steel Inlaid Bonderizer Anchor Strips
- 14 Lamination Grade Luan Plywood Exterior Wall Layer
- 15 Second Luan Layer
- 16 Corona Treated High Durability Fiberglass Outer Layer

Arctic Fox is a True Four Season Coach

C ULTIMATE DURABILITY FLOOR STRUCTURE

- 17 Residential Quality Plush Commercial Carpeting
- 18 Commercial Grade Linoleum with 20 mil Surface
- 19 5/8" T&G Plywood Decking (not chipboard)
- 20 R-7 Residential Grade Fiberglass Insulation
- 21 Reinforced Woven Highway Moisture Barrier

E MORE ABSOLUTE NORTHWOOD QUALITY FEATURES

- 26 Independently Certified Custom Built Northwood Chassis
- 27 R-7 Residential Quality Formaldehyde Free Fiberglass Insulation
- 28 Corrugated Underbelly Panels
- 29 Heated and Insulated Large Capacity Holding Tanks
- 30 Easy Lube Axles and Shocks
- 31 Heavy Duty Radial Tires
- 32 Sealed All Metal Heat Ducts
- 33 Aerodynamic Fiberglass Front Cap
- 34 Mor/ryde RPB pin box
- 35 All Foam Condensation Resistant A/C Ducts
- 36 Extra Large 'Starlite' Bedroom Skylight
- 37 Large Skylight
- 38 Hi Output Roof Mount A/C
- 39 Roto Molded High Durability Wheel Skirts
- 40 Diamond Scored Sidewall Skirts
- 41 Diamond Plate Gravel Guard



We stopped at the base of the Teton Mountains for lunch a couple weeks ago on our summer road trip this year in our 2016 Arctic Fox 30U. Got a chance to take a pretty cool picture, what a view! We are loving our new trailer by the way!! Thought you might enjoy seeing the picture.

Chris and Kellie Perry
Bend, OR



Thank You! To all of our Loyal Family of Northwood RV Enthusiasts



1993 - 2018





Arctic Fox Classic - Standard Features

Northwood Built, Independently Certified, Off-Road Chassis
 Fully Welded, Thick-Wall Aluminum Frame Construction
 One-Piece, Corona Treated, Continuous Fiberglass
 Hot, Polyurethane Laminated, Multi-Layered Substrate Walls
 Cathedral Arched Ceiling
 High Density Block Foam Insulation
 Wide-Body Floorplan
 EZ Lube Axles
 Aluminum Wheels / Tires & White Mod Spare
 Shocks On All Four Wheels
 Stabilizer Jacks
 All-Conditions/Four Seasons Insulation
 R-18 Fiberglass Insulation in Ceiling
 R-15 Reflective Foil Insulation in Roof
 Heated Holding Tanks
 Aerodynamic One Piece Front Cap w/BackRoad Armor
 Integrated Easy Access LP Cover
 Diamond Plate Bumper Wrap
 *Most Models

Interior Command Center
 Bedroom Carpet w/ Pad
 Roller Bearing Drawer Glides
 Fabric Night Shade Window Treatments
 LED TV & DVD/CD AM/FM Player
 Smoke, LPG & CO Leak Detectors
 Charge Wizard
 Booth Dinette
 Sofa With Decorative Throw Pillows*
 Residential, Built-In Microwave
 Large Fridge w/ Multiple Raised Panels
 Kitchen Skylight w/ Shade
 Fan Vent (Bedroom)
 Porcelain, Foot-Pedal Toilet / Bath Skylight
 Residential Shower Enclosure
 NW TruRest Queen Mattress w/ Bedspring
 Magnetic Catches on Luggage Doors

LED Exterior Lighting
 Roof Rack & Ladder
 12V Light in Storage Compartment
 LPG Quick Connect* & Black Water Flush System
 Large Exterior Entry Grab Handle
 Exterior Shower
 Semi-Automatic Winterization/By-Pass System
 DSI Gas/Electr Quick Recovery Water Heater
 13.5m BTU Air Conditioner
 Condensation-Resistant A/C Ducting
 Carefree Travel'R 12V LED Awning
 TV Antenna
 Outside Speakers/Battery Disconnect
 Tinted Windows
 Satellite Ready / Solar Ready
 LED Interior Lighting
 Solid Surface Counter Tops

Silver Fox Edition - Additional Enhancements

10 Gal. DSI Gas/Electric Water Heater
 Extra Large 8 Cubic Foot Fridge
 Antique Glazed Kitchen Cabinetry
 Chassis Mount Spare Tire Carrier
 Variable Recessed LED Light
 Low Profile Fluorescent Lights
 Telescoping Lighted Vanity Mirror*
 Gray Front Cap w/Easy Access LPG Tank Cover

1.5 Cu Ft Over-the-Range Convection-
 Microwave w/ Range Hood
 Carpet Ceiling Liner
 12 Volt Power Jack
 Custom Designer Back Splash
 Slam Latch Luggage Doors
 Molded Rear Fiberglass Cap
 16" Aluminum Wheels
 Bedroom Starlight with Shade

5th Wheel Exclusives

Gray Front Cap with Turning Radius
 Wide Body Construction
 Certified Store More Chassis
 6'6" Slideout Height on 30 Ft & Larger
 Ultra Deck Sleep System*
 Exterior Convenience Center
 Generator Ready
 Extra Large 10 Cubic Foot Fridge (5T, 5M, 5Z)



Description

Description	Classic					Silver Fox Edition			Absolute Northwood					
	Travel Trailers					Fifth Wheels			Fifth Wheels					
Model Number	22G	25R	25W	25Y	31D	28F	29L	32A	27-5L	28-5C	29-5K	29-5T	32-5M	35-5Z
Dry Axle Weight (approx. Lbs.)	4128	5375	6029	6093	7515	6727	6928	7350	7782	9125	8545	8853	9442	10418
Dry Hitch Weight (approx. Lbs.)	550	670	730	760	923	772	1040	973	1868	2435	2663	2023	2588	2373
Net Carrying Capacity	2822	3955	3241	3147	3562	2901	2432	2077	3750	4440	5392	4824	4470	3509
Gross Dry Weight-lbs (approx. Lbs.)	4678	6045	6759	6853	8438	7499	7968	8323	9650	11560	11208	10876	12030	12791
Gross Vehicle Weight Rating (GVWR)-Lbs.	7500	10000	10000	10000	12000	10400	10400	10400	13400	16000	16600	15700	16500	16300
Exterior Length (approx. w/hitch)	23'10"	27'3"	29'6"	30'0"	35'6"	30'0"	32'0"	34'4"	29'5"	31'11"	35'2"	33'11"	36'2"	38'11"
Exterior Height (approx. incl. AC unit)	10'5"	10'9"	11'2"	11'2"	11'2"	11'7"	11'7"	11'7"	13'3"	13'5"	13'5"	13'5"	13'5"	13'4"
Exterior Width (approx. w/o awning)	8'6"	8'6"	8'6"	8'6"	8'6"	8'0"	8'0"	8'0"	8'6"	8'6"	8'6"	8'6"	8'6"	8'6"
Tire Size	ST205 75R15	ST225 75R15	ST225 75R15	ST225 75R15	ST235 80R16	ST235 80R16	ST235 80R16	ST235 80R16	ST235 80R16	ST235 85R16	ST235 85R16	ST235 80R16	ST235 85R16	ST235 85R16
Load Range	C	D	D	D	E	E	E	E	E	G	G	E	G	G
Fresh Water w/ Water Heater (approx. gal.)	46	59	57	57	57	58	67	67	82	74	82	82	82	82
Gray Water Tank (approx. gal.)	42	44	35/35	47	35/18	40	24/35	55	67/35	54	67/35	67	67	67
Black Water Tank (approx. gal.)	35	35	35	35	35	35	42	42	65	42	65	65	65	65
LPG Capacity (approx. gal.)	14	14	14	14	14	14	14	14	20	20	20	20	20	20
CSA - Canadian Dealers Only	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Auto Ignition Furnace (1,000 BTU's)	25	25	30	30	30	30	30	30	35	35	35	35	35	35

ABSOLUTE NORTHWOOD

Our Commitment to
 ✓ Quality
 ✓ Strength
 ✓ Durability

